

Innovation. Quality. Solutions.

ZOLIAR®800 DF

Zoliar contains 800 g/kg norflurazon (MOA Group F)

For long-term cost-effective weed control you need...

A broad-spectrum pre-emergent herbicide for Grapes, Citrus, Pome Fruit, Stone Fruit, Almonds and Asparagus*

Broad-Spectrum Weed Control

Zoliar® 800 DF is a broad-spectrum pre-emergent herbicide that controls a wide range of weeds in a range of crops. Zoliar controls more problem broad-leaf weeds and grasses than any other pre-emergent herbicide, and is registered at a range of rates to suit the situation.

Weed Control that Lasts

Zoliar keeps on working and once incorporated into the soil, will remain active for up to six months to control weeds as they germinate.

Cost Effective

With its long residual action, a single application of Zoliar can provide season-long weed control. This means a substantial saving in time and money when compared with the cost of a mechanical or knockdown herbicide program.

Better Crops

The broad spectrum of weeds controlled by Zoliar means less competition for vital water and nutrients that can then be used by the plant to enhance crop yield and quality.

Long Incorporation Window

Zoliar has low volatility and good photostability and hence, a relatively long incorporation window. While early incorporation means that the product starts to work immediately, rainfall or irrigation up to 21 days after application will activate Zoliar.

Zoliar Stays Locked onto the Soil

Once incorporated, it won't move from the top soil where weed seeds germinate. Zoliar resists leaching and moving in the soil profile.

More from Zoliar

Using Zoliar means fewer knockdown herbicide applications, saving time and reducing equipment and labour costs. In addition, fewer equipment passes mean less soil compaction. Application of Zoliar in early autumn will give winter weed control or in early to midspring will give full summer weed control.

Zoliar is a Group F herbicide and can be used as an alternative to knockdown herbicides in managing the development of weed resistance.







Innovation. Quality. Solutions.



Getting the Best out of Zoliar

Zoliar should be applied early season to bare earth that is free of trash and prior to weeds germinating. Soil should be moist and compact.

If small weeds are present, Zoliar should be applied in a tank mix with a knockdown herbicide. Larger weeds should be controlled with a knockdown herbicide prior to the application of Zoliar.

Zoliar is compatible with most knockdown and residual herbicides. Tank mixes with other residual herbicides can further enhance the weed spectrum controlled. Check the relevant labels before use.

Ensure that spraying equipment is correctly calibrated and in optimal condition.

Directions for Use Table

The following is an extract of the product label and does not constitute the complete directions for use. The product label should be read thoroughly before opening the packaging.

CROP	WEED	STATE	RATE/HA	WHP	CRITICAL COMMENTS
Asparagus	Johnson Grass, Nutgrass	Qld	2.5 kg	14 days	Apply using a boom spray to bare ground prior to weed emergence. Apply as a
Citrus Grapefruit, Lemons, Mandarins, Oranges (Navel and Valencia) Grapes Nuts Almonds only Pome Fruit Apples, Pears Stone Fruit Apricots, Cherries, Nectarines, Peaches, Plums	Annual Ryegrass, Barley Grass, Blackberry Nightshade, Brachiaria (Green Summer Grass), Caltrop, Capeweed, Chickweed, Common Sowthistle (Milk Thistle), Dandelion seedlings, Curled Dock seedlings, False Caper seedlings, Fat-Hen+, Indian Hedge Mustard, Innocent Weed (Spiny Burgrass), Medic, Hedge Mustards, Paspalum, Plantain seedlings, Pigweed (Portulaca), Prairie Grass, Prickly Lettuce, Great Brome (Ripgut Brome), Salvation Jane, Scarlet Pimpernel, Shepherd's Purse, Silver Grass, Skeleton Weed seedlings, Sorrel seedlings, Soursob+, Stinkgrass, Stinking Roger, Subterranean Clover, Summer Grass (Crabgrass), Three-cornered Jack (Doublegee, Spiny Emex) Variegated Thistle, Wild Oats, Wild Radish, Wild Turnip, Winter Grass, Wireweed, Witch Grass, Yellow Weed, Yorkshire Fog Grass Couch Grass+, Dandelion, Curled Dock, False Caper, Johnson Grass+, Skeleton Weed, Sorrel, Soursob	All states	5.0 kg		directed spray in 300 to 500 L water/hectare. Avoid contact with foliage or fruit. An application in early autumn will give winter weed control or in early to mid-spring will give full summer weed control. Note: For asparagus only: Allow newly planted fields (direct seeded, seedlings, or crowns) to become established for one year before application of Zoliar 800 DF. DO NOT apply within 14 days of harvest and before fern emerges. DO NOT spray on young ferns. DO NOT apply more than 2 applications per year. Zoliar 800 DF should not be applied if crop rotation is expected within 24 months. For grapes only: Not recommended for grapes grown in sand or loamy sand soils with less than 1% organic matter and pH greater than 7.5 as veinal chlorosis may occur. For almonds and cherries only: DO NOT use on coarse textured soil such as sand, loamy sand, gravelly sand and fine sand as veinal chlorosis may occur.

⁺ Suppression only

For cautions and restraints, please refer to the full product label. *Note. Asparagus, Queensland only.

The information provided herein may include extracts from the product label and does not constitute the complete directions for use. READ THE PRODUCT LABEL THOROUGHLY BEFORE OPENING OR USING ZOLIAR

AgNova Technologies Pty Ltd ABN 70 097 705 158 PO Box 2069 Box Hill North Victoria 3129 Australia Ph: 03 9899 8100 Data referred to herein were generated using products and rates that were registered at the time. Always read and follow product labels.

AgNova Technologies Pty Ltd shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd for any breach of such statutory warranty or condition is so limited.

©Copyright AgNova Technologies 2019. ZOLAGN191001

®Zoliar is a registered trademark of Tessenderlo Kerley, Inc.





