READ SAFETY DIRECTIONS BEFORE OPENING OR USING



SLUG AND SNAIL BAIT



ACTIVE CONSTITUENT: 9.0 g/kg IRON present as IRON PHOSPHATE ANHYDROUS

For control of slugs and snails in agricultural and horticultural crops and other situations where slugs and snails congregate as specified in the Directions for Use table.

Distributed by: **AgNova Technologies Pty Ltd** ABN 70 097 705 158 Unit 4, 482 Kingsford Smith Drive Hamilton, Qld 4007 Australia Phone (03) 9899 8100 Email info@agnova.com.au agnova.com.au



Manufactured by: **De Sangosse SA** Bonnel CS10005 47480 Pont Du Casse France www.desangosse.fr



Net Contents 15 kg, 150 kg and 400 kg

DIRECTIONS FOR USE

RESTRAINTS

DO NOT heap baits. Clean up spilled baits immediately, including after filling applicator.

CROP / SITUATION	PEST	RATE	CRITICAL COMMENTS
Agricultural cropsCereals,Oilseeds (including poppies),Pulses,Brassicas,Pasture (established and seedling),Crop boundaries,Bare ground (including broadacrepre-emergent, pasture pre-establishment)Horticultural cropsFruit (including grapevines),Citrus orchards,Vegetable and Berry crops,Ornamentals,Truffles	Slugs and snails	5 – 7 kg/ha	Broadcast evenly over the surface of the ground where slugs and snails are active. For most infestations, use the lower rate. For moderate to high infestations, use a higher rate. Re- apply as required. When applying to crops, ensure pellets do not become lodged in plant foliage.
Other Public authority and industrial areas, Roadsides, Turf and other situations where slugs and snails congregate			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

IRONMAX Pro[®] Slug and Snail Bait is a unique product containing iron phosphate, which is a natural component of soil, in a specially formulated bait. Any uneaten bait will degrade and become part of the soil.

After ingesting this bait (even in small amounts), slugs and snails cease feeding, which provides immediate protection to plants. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the dramatic decrease in plant damage.

Where the pest pressure is heavy, it may be necessary to repeat the application. Best results are achieved by application during mild damp weather when slugs and snails are most active. Snails need to be active to come into contact with the bait.

Scatter baits evenly using an appropriate applicator. DO NOT place in heaps. Clean up any spilled baits, including after filling applicator.

TIMING

Apply baits when crops are most vulnerable and when the pest is evident and active. For broadacre crops, start when rain/moisture triggers slug and snail activity in autumn or spring and before significant egg laying.

Best results may be achieved by applying 5-10 days prior to planting. See your distributor for further advice.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate wetlands or watercourses with this product or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

If your pet eats IRONMAX Pro, contact your veterinary surgeon immediately, as the consumption of large quantities may be toxic. The active ingredient in this product is iron phosphate.

STORAGE AND DISPOSAL

Store in the closed original container in a dry, cool, well-ventilated area, out of direct sunlight. Lock in a safe place preventing access of children, animals, poultry or ducks.

Shake container empty into application equipment. DO NOT dispose of unused product on site. If not recycling, break, crush or puncture containers and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. If dispensing by hand, wear disposable gloves. Wash hands after use.

FIRST AID

First aid is not generally required. If in doubt, contact a Poisons Information Centre (phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

SAFETY DATA SHEET

If additional hazard information is required refer to the Safety Data Sheet. For a copy visit our website at agnova.com.au

CONDITIONS OF SALE

AgNova Technologies Pty Ltd and DE SANGOSSE shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd and DE SANGOSSE for breach of any such statutory warranties and conditions cannot be lawfully excluded but maybe limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd and DE SANGOSSE for solutions cannot be lawfully excluded but maybe limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd and DE SANGOSSE for any breach of such statutory warranty or condition is so limited.

[®]Registered trademark of De Sangosse SA

This label requires no additional statements in accordance with the Globally Harmonised System of Classification and Labelling (GHS).

In a transport emergency dial 000, Police or Fire Brigade. For specialist advice in an emergency only, call 1800 033 111 (24 hours).

APVMA Approval No. 89908/126325

Distributed by: **AgNova Technologies Pty Ltd** ABN 70 097 705 158 Unit 4, 482 Kingsford Smith Drive Hamilton, Qld 4007 Australia Phone (03) 9899 8100 Email info@agnova.com.au agnova.com.au



Manufactured by: **De Sangosse SA** Bonnel CS10005 47480 Pont Du Casse France www.desangosse.fr



IRONLAB210624WEE

An American Vanguard Company