DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 200 g/kg PHORATE (an anti-cholinesterase compound)



For the control of sucking insects and the suppression of mirids in cotton and control of various insects in certain vegetables as specified in the Directions for Use table.

AgNova Technologies Pty Ltd ABN 70 097 705 158 Unit 4, 482 Kingsford Smith Drive Hamilton, Qld 4007 Australia Phone (03) 9899 8100 Email info@agnova.com.au agnova.com.au



Net Contents 20 kg and 22 kg

DIRECTIONS FOR USE

CROP	PEST	STATE	APPLICATION RATE PER HA OF THIMET® 200G	WHP	CRITICAL COMMENTS
Cotton	Aphids, Thrips, Jassids, Two spotted mites	Qld only	3 kg	10 weeks	Distribute the granules evenly in the furrow at planting time or incorporate into the soil as a side dressing deep enough to avoid disturbance by future cultivations. Irrigate as soon as possible after treatment.
		NSW, WA only	3 kg or 5.5 to 8.5 kg		Use 3 kg/ha where a short period of protection is required. Use 5.5 to 8.5 kg/ha to obtain extended period of control, using the highest rate on heavier soils and only when seedbed conditions favour good emergence of seedlings.
	Mirids	Qld, WA only Qld, NSW, WA only	5 kg		Suppression only. Refer to above comments re: distribution of granules.
	Wireworms, False Wireworms		3 kg		Distribute the granules evenly in the furrow at planting time only.
VEGETABLES Carrots	Carrot Fly, Aphids, Thrips, Jassids	All States	5 kg	10 weeks	Apply granules as a band at sowing or to established plants in 5 cm band each side of growing crop. Incorporate into soil where possible or apply when rain is expected or overhead irrigation can be made. Avoid contact with seed.
Onions	Onion Maggot, Thrips				
Cabbage, Broccoli, Cauliflower	Jassids, Two		8.5 kg		Apply granules on soil surface close to plants. DO NOT apply more than 45 kg/ha annually.
Brussels Sprouts	Spotted Mites		11 kg		
Potatoes, Sweet Potatoes	Aphids, Thrips, Jassids, Two Spotted Mites, Wireworms		Early Crop 8.5 to 11.5 kg Main Crops 11.5 to 14.5 kg	13 weeks	Distribute the granules evenly in the furrow or band granules on each side of the row at planting time. Apply higher rate in very heavy soils or where organic matter is very high.
Tomatoes	Aphids, Thrips, Rust Mite, Red Legged Earth Mite	SA, Vic only Qld, NSW, Tas, WA only	5 to 7.5 kg	10 weeks	Distribute granules evenly in the furrow at planting time.
	Aphids, Thrips, Jassids, Rust Mite, Red Legged Earth Mite, Two Spotted Mites				

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS TO BE RECOMMENDED FOR USE IN THE HOME GARDEN.

WITHHOLDING PERIODS

GRAZING: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 10 WEEKS AFTER APPLICATION. HARVEST: BRASSICAS, CARROTS, COTTON, ONIONS, TOMATOES – DO NOT HARVEST FOR 10 WEEKS AFTER APPLICATION. POTATOES, SWEET POTATOES – DO NOT HARVEST FOR 13 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

This product should be applied through a granule applicator which has a matching female coupling installed in the lid. Remove Lock'N Load® or SmartBox® container cap, invert container and attach onto the applicator box. This action will open the valve on the container and allow product to flow into the applicator. Mixtures with herbicides, fungicides or fertilisers may not be compatible.

INSECTICIDE RESISTANCE WARNING



For insecticide resistance management Thimet 200G Systemic Granular Insecticide is a Group 1B Insecticide. Some naturally occurring insect biotypes resistant to Thimet 200G and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Thimet 200G or other group 1B insecticides are used repeatedly. The effectiveness of Thimet 200G on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, AgNova Technologies Pty Ltd accepts no liability for any losses that may result from the failure of Thimet 200G to control resistant insects. Thimet 200G may be subject to specific resistance management strategies. For further information contact your local supplier, AgNova Technologies Pty Ltd representative or local agricultural department agronomist.

PRECAUTIONS

Remove unprotected persons from operating area. Take precautions to prevent persons and wildlife from recovering granules from the soil surface by covering operational spills with soil. Major spills should be collected and disposed of at an approved disposal site as described below.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET CROPS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF LIVESTOCK

Remove domestic animals from operating area. Keep livestock out for 10 weeks. Take precautions to prevent birds and domestic animals from recovering granules from the soil surface (See Precautions).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and crustacea. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT leave granules on soil surface (See Precautions).

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Empty container completely into application equipment. Replace Lock'N Load or SmartBox container lid and return to point of purchase. Do not damage empty containers. Empty containers and product should not be burnt. Immediately after use, clean out application equipment with a small brush and dustpan not to be used for any other purpose. Return unused granules to original container for storage, or bury them at the edge of the treated paddock or at an approved disposal site as described above.

SAFETY DIRECTIONS

Very dangerous. Product can kill if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. DO NOT touch or rub eyes, nose or mouth with hand when handling granules. Avoid contact with eyes and skin. DO NOT inhale dust. When using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves, impervious footwear and half facepiece respirator with dust cartridge or canister. Avoid re-entry for 48 hours after use in glasshouses or other confined spaces. If re-entering within this period, wear all protective clothing including respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and respirator (and if rubber wash with detergent and warm water) and contaminated clothing.

FIRST AID

If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Remove from contaminated area. Apply artificial respiration if not breathing. If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre: Phone Australia 13 11 26, or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. If poisoning occurs get to a doctor or hospital quickly.

SAFETY DATA SHEET

If additional hazard information is required refer to the Safety Data Sheet. For a copy visit our website at agnova.com.au

CONDITIONS OF SALE

AgNova Technologies Pty Ltd shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd for any breach of such statutory warranty or condition is so limited.

© 2022 American Vanguard Corporation. All Rights Reserved. American Vanguard and the American Vanguard Logo are trademarks owned by American Vanguard Corporation. Thimet, Lock'N Load and SmartBox are trademarks owned by an affiliate or subsidiary of AMVAC Chemical Corporation.



UN No. 2783 ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (PHORATE) PACKING GROUP: II HAZCHEM: 2X

Additional statements as required by Safe Work Australia in accordance with the Globally Harmonised System of Classification and Labelling (GHS).

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled. Causes eye irritation. May cause cancer by inhalation. May cause damage to organs (lungs) through prolonged or repeated exposure via inhalation. Very toxic to aquatic life with long lasting effects.

Do not handle until all safety precautions have been read and understood. Use only outdoors or in a wellventilated area. Do not eat, drink or smoke when using this product. Wear eye protection/face protection/ protective gloves/protective clothing. Wear respiratory protection. IF SWALLOWED: Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

> In a transport emergency dial 000, Police or Fire Brigade. For specialist advice in an emergency only, call 1800 033 111 (24 hours).

APVMA Approval No.: 41439/115427

AgNova Technologies Pty Ltd ABN 70 097 705 158 Unit 4, 482 Kingsford Smith Drive Hamilton, Qld 4007 Australia Phone (03) 9899 8100 Email info@agnova.com.au agnova.com.au





An American Vanguard Company